



DEC 20 2017

In Reply Refer To:
MSHA:A&CC:PAR 111765
File No. IF 26998
Approval No. IC-256/12

Mr. K. Balamurugan
Polyhose India PVT, Ltd.
Survey No. 261/1A, 2A (Part) No. 44
Kancheepuram District 603 103, (TN)
INDIA

Dear Mr. Balamurugan:

On November 23, 2017, Polyhose India informed us of a correction for acceptance of hydraulic hose. The acceptance was dated November 14, 2017.

On the acceptance letter, the compound number was not listed and should be listed as "1190A10FHF."

We have revised the acceptance letter.

Please destroy the previous acceptance letter and replace it with the revised acceptance letter that is enclosed with this letter.

If you have any comments or questions relative to this letter, please refer them to Daniel Dewey at 304-547-2083.

Sincerely,

A handwritten signature in blue ink that reads "James C. Erlinger". The signature is fluid and cursive.

James C. Erlinger,
Team Leader, Quality Assurance and Materials Testing Division

Enclosure: Revised Acceptance Letter

U.S. Department of Labor

Mine Safety and Health Administration
Approval and Certification Center
765 Technology Drive
Triadelphia, West Virginia 26059



Revised Acceptance Letter

DEC 20 2017

Mr. K. Balamurugan
Polyhose India PVT, Ltd.
Survey No. 261/1A, 2A (Part) No. 44
Kancheepuram District 603 103, (TN)
INDIA

In Reply Refer To:
MSHA:A&CC:PAR 111765
File No. IF 26998
Acceptance No. IC-256/12

Dear Mr. Balamurugan:

The review of your application dated May 19, 2017; Company Code No. 000000, for the Type Polyhose/Exitflex (Compound 1190A10FHF) Hydraulic Hose Cover is complete.

This construction and the information provided meet the requirements of the Standard Application Procedures for Acceptance of Flame-Resistant Solid Products Taken into Mines.

The following requirements apply to this acceptance:

1. Acceptance Marking No. "**MSHA IC-256/12**" must be permanently marked on the product with letters at least 1/4" high and at intervals not exceeding 3 feet. Other types of permanent markings may be used with prior approval of MSHA.
2. The acceptance material thickness is 0.10 inches.
3. You are obligated, as the manufacturer, to maintain the quality of the product to assure the requirements of this acceptance are being met.
4. Any change in product composition or in any other factors that may affect this acceptance must not be made without prior authorization from MSHA.
5. We have the right to revoke this acceptance for cause at any time.
6. We must be notified of any transfer of production or ownership of this product.

An invoice for the cost of processing this action will be forthcoming.

If you have any comments or questions relative to this letter, please refer them to Daniel Dewey at 304-547-0400.

Sincerely,

A handwritten signature in blue ink, appearing to read "Dennis L. Ferlich", with the word "for" written below it.

Dennis L. Ferlich
Chief, Approval and Certification Center

cc: IPSO File IF 26998:PAR 111765
A&CC

MSHA:A&CC:DDD:dmp:12/14/2017

Data Sheet 9

FILE COPY SURNAME
<u>JEWEL</u>
<u>Alinger</u>